



*SunComm*

SunComm Technology Co., Ltd

**SC-9038SW-4G 4G Desk Phone with  
SOS for home use (senior citizens)**



## **HIGHLIGHT:**

- ✧ 2.8" 320 x 240 TFT color screen with negative display.
- ✧ Caller ID in DTMF or FSK
- ✧ 2G, 3G & 4G network, VoLTE, SIM socket
- ✧ 3/2 Emergency key linked contact pic on LCD
- ✧ **SOS key** (with user defined SoS message)
- ✧ Earphone Bluetooth connectivity
- ✧ One boost key to increase loudness 10dBspl
- ✧ Backup battery
- ✧ Hearing Aid Compatible
- ✧ Max. 95dBspl ringtone, max. 50Db amp. For voice
- ✧ MIC strengthen adjustable (-3 to 3dB)
- ✧ Ringing and receiving loudness adjustable
- ✧ Voice talking output number keys & main menu
- ✧ Password protection for advance menu
- ✧ Auto hanging up while handset not return back cradle
- ✧ Auto answer optional, with emergency number calling in
- ✧ English, **Spanish**, Italian, French, Russian, Dutch, Portuguese, etc.
- ✧ Alarm & Calendar
- ✧ FM Radio
- ✧ Blacklist
- ✧ Upgrading FOTA
- ✧ RF pedant 868/433/915M optional
- ✧ Light keypad switchable

## **FEATURES:**

- ✧ FXS port features
- ✧ Line polarity revise
- ✧ Message key
- ✧ 4 softkey
- ✧ 3 programming key for speed dial/ SOS key for emergency call
- ✧ Volume adjustment key +/- for both Rx and Ringing
- ✧ Tone adjusting key Hi/Lo
- ✧ Redial
- ✧ Speakerphone
- ✧ Boost Key
- ✧ Store

✧ Power on-off key

<b>Earphone &amp; LCD &amp; LED</b>	<ul style="list-style-type: none"> <li>◆ Bluetooth 5</li> <li>◆ Display 2.8" TFT 320 x 240 color LCD display</li> <li>◆ LED indicator</li> </ul>
<b>Interface</b>	<ul style="list-style-type: none"> <li>◆ 1 x USB-C</li> <li>◆ 1 x SIM card socket</li> <li>◆ 1 x FXS port</li> <li>◆ 1 x 3.5 mm (OMTP-global)</li> <li>◆ <b>Antenna</b> inbuilt or external port</li> </ul>
<b>Codec &amp; Encryption</b>	<ul style="list-style-type: none"> <li>◆ Speech codec (FR, HR, EFR, AMR FR, AMR HR and Wide-Band AMR)</li> <li>◆ GSM channel coding, equalization and A5/1, A5/2 and A5/3 ciphering</li> <li>◆ GPRS GEA1, GEA2 and GEA3 ciphering</li> </ul>
<b>Celuller</b>	<ul style="list-style-type: none"> <li>◆ GSM qual; WCDMA; FDD/TDD LTE</li> <li>◆ LTE Category: Cat-1</li> <li>◆ VoLTE</li> </ul>
<b>Call function</b>	<ul style="list-style-type: none"> <li>◆ Emergency call, redial, speed dial, <b>SoS call</b>, mute, call waiting, call hold, conference call, hotline etc.</li> </ul>
<b>SMS</b>	<ul style="list-style-type: none"> <li>◆ Store messages in SIM (capacity depends on SIM type) and messages in phone</li> <li>◆ Receive or send SMS in text mode</li> </ul>
<b>Phonebook</b>	<ul style="list-style-type: none"> <li>◆ Store numbers in SIM (capacity depends on SIM type) and numbers in phone</li> </ul>
<b>Call history</b>	<ul style="list-style-type: none"> <li>◆ Store missed, received and dialed calls</li> </ul>
<b>Lock</b>	<ul style="list-style-type: none"> <li>◆ SIM card lock, Network lock, Cell lock, Phone and SIM card interlock</li> <li>◆ Keypad lock</li> </ul>
<b>Ringtone</b>	<ul style="list-style-type: none"> <li>◆ Multi-ringing tones and message alert tones for selection</li> <li>◆ Ringing volume adjustable</li> </ul>
<b>Tools (optional)</b>	<ul style="list-style-type: none"> <li>◆ Alarm clock</li> <li>◆ Calendar</li> <li>◆ FM radio</li> </ul>

**Physical &  
Environmental**

- ◆ Color: Black or ivory
- ◆ Wall mountable
- ◆ External AC adapter: AC 100~240V input and DC 5V/2000mA **output USB-C**
- ◆ Dimensions: 210 x 170 x 45 mm
- ◆ Weight: 680g (base unit & handset)
- ◆ Power consumption (PSU): 2-3 W
- ◆ Operating humidity: 10~95%
- ◆ Operating temperature: -10 ~50°C(+14~122°F)
- ◆ Battery: Li-ion battery BL-8C
- ◆ Standby time: 96 +hours
- ◆ Talking time: 3+hours

**Package Feature**

- ◆ Package content: IP Phone, Handset with handset cord (extended max 3 meters, Stand, Quick Start Guide, Power Adapter)
- ◆ Qyt/CTN: 10P UNIT
- ◆ G.W/CTN: 10KG
- ◆ Giftbox size: 260 x 225 x 72 mm
- ◆ Carton Meas.: Size: 350 x 290 x 350 mm



**SunComm Technology Co., Ltd**

7F, No. 53, Jian-Kang Rd., Zhong-he Dist., New Taipei City, Taiwan 23586

[www.SunComm-4glte.com](http://www.SunComm-4glte.com) [www.SunComm.com.tw](http://www.SunComm.com.tw)

Tel: 886-2-3234 1496 Fax: 886-2-3234 1393 E-mail: [sales3@SunComm.com.tw](mailto:sales3@SunComm.com.tw)

China: [www.SunComm.cn](http://www.SunComm.cn) Tel: +86-136 8884 2805

